

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

January 30, 2012

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *Method and System for Calculating and
Verifying the Integrity of Data in a Data Transmission System*
Application No. 10/597,194; Filed October 16, 2008
Patent No. 7,987,405; Issued July 26, 2011
Our File 054054/314147

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Christopher J. Gegg
Registration No. 50,857

CJG/mf
Enclosure

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,987,405 B2

Page 1 of 1

APPLICATION NO. : 10/597,194

ISSUE DATE : July 26, 2011

INVENTOR(S) : Turner et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Line 6, "RFD" should read --RFID--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000